




# Downlights

---

## QUICK REFERENCE GUIDE



QUICK REFERENCE GUIDE

Size Wattage Equivalent Lumens CCT Options Mounting

RETROFIT DOWNLIGHTS

Housing Required

R34 (CCT Selectable)

	4"	7.5W	60W	700		Finish <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Voltage	120V
	5/6"	10W	75W	900		Trim Cone <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Warranty	No Compromise
						CRI	90	

New Construction Housings



NDCANIC4R 4" Rough In



NDCANIC6R 6" Rough In

R4R, R6R (CCT Selectable)

	4"	7.5W	65W	700		Finish <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Voltage	120V
	5/6"	8W 11W 14W	65W 75W 100W	725 900 1,200		Trim Cone <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Warranty	No Compromise
						CRI	90	

Remodeler Housings

R4S, R6S (Dedicated CCT)

	4"	7W	65W	700		Finish <input type="checkbox"/>	CRI	80 90
	5/6"	10W	75W	900		Shape <input type="checkbox"/>	Voltage	120V
						Trim Cone <input checked="" type="checkbox"/>	Warranty	No Compromise



RDCANIC4R - 4"



RDCANIC6R - 6"

RA4, RA6 (Selectable CCT, Adjustable Gimbal)

	4"	7W	65W	700		Finish <input type="checkbox"/>	Voltage	120V
	5/6"	10W 11W	75W 100W	900 1,100		Trim Cone	Warranty	No Compromise
						CRI	90	

WFRETRO (Field Adjustable, Flat Lens)

	4"	6W 8W 10W	40W	525 675 825		Finish <input type="checkbox"/>	Voltage	120V
	6"	11W 13W 15W	75W	950 1,150 1,300		Trim Cone <input type="checkbox"/> <input checked="" type="checkbox"/>	Warranty	No Compromise
						CRI	90	

COMMERCIAL CANLESS DOWNLIGHTS

No Housing Required

CRLEDFA (Field Adjustable, Integrated Driver)

Mounting Frames:

	4"	7W 9W 12W	8W 11W 14W CFL	600 800 1,000		Finish <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Shape	Trim Cone <input type="checkbox"/>	CRI	Voltage	120-277	Dimming	0-10	Warranty	No Compromise	
	6"	9W 12W 16W	11W 14W 18W	800 1,100 1,500												
	8"	11W 16W 22W	13W 18W 26W	1,000 1,500 2,000												
	8"	25W 29W 33W	2x17W 2x23W CFL	2,400 2,700 3,000												
	10"	32W 37W 43W	2x23W 2x24W 2x27W	3,000 3,500 4,000												

DLFRAME/C6R

DLFRAME/C8R

Mounting Plates:

DLPLATE/C3468R/NB

DLPLATE/WFR3468/NB

DLPLATE/WFR3456

DLPLATE/WFR4/NB/CL

DLPLATE/WFR6/NB/CL

CCT: 2700K 3000K 3500K 4000K 5000K


Trim:  Baffle  Smooth  Shallow Baffle  Metal  Plastic

High Output:

COMMERCIAL CANLESS DOWNLIGHTS

No Housing Required 


CR (Field Adjustable, Universal Dimming)


	4"	6W 8W 10W	??W	600 800 1000
	6"	10W 17W 21W	??W	1000 1800 2300
	8"	16W 24W 30W	??W	1800 2700 3400
	10"	24W 30W 37W	??W	2800 3500 4200

Finish


Shape










Trim Cone

CRI  90


Voltage  120-277

Dimming  Universal Triac/ELV + 0-10V

Warranty  No Compromise

- Mounting Frames:
-  DLFRAME/C6R
  -  DLFRAME/C8R
- Mounting Plates:
-  DLPLATE/C3468R/NB
  -  DLPLATE/WFR3468/NB
  -  DLPLATE/WFR4/NB/CL
  -  DLPLATE/WFR6/NB/CL
  -  DLPLATE/WFR3456
  -  DLPLATE/WFR4
  -  DLPLATE/WFR6


CRX (Field Adjustable, High Output)


	3"	9W 12W 15W	??W	900 1200 1500
	4"	12W 16W 20W	??W	1200 1600 2000
	6"	30W 40W 50W	??W	3000 4000 5000
	6"	32W 43W 55W	??W	3000 4000 5000
	8"	50W 65W 80W	??W	5000 6500 8000

Finish


Shape






Trim Cone

CRI  90

Voltage  120-277

Dimming  3", 4", 6": Universal Triac/ELV + 0-10V  
 6", 8": 0-10V

Warranty  No Compromise

- Mounting Plates:
-  DLPLATE/WFR3468/NB
  -  DLPLATE/WFR4/NB/CL
  -  DLPLATE/WFR6/NB/CL
  -  DLPLATE/WFR4
  -  DLPLATE/WFR6

QUICK REFERENCE GUIDE

Size Wattage Equivalent Lumens CCT Options Mounting

SURFACE MOUNTS



DSK34 (Dedicated CCT)

	4"	12W 14W	40W	800 1,000		Finish <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Voltage
	5/6"	16W 16.5W	75W	1,050 1,200			

E26 Adapters




DISK34 (CCT Selectable)

	4"	7W	60W	700		Finish <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Voltage
	5/6"	15W	75W	1,000			




DSKFA (CCT Selectable w/Motion Sensor)

	4"	10W	40W	600		Finish <input type="checkbox"/>	Sensor
	5/6"	15W	75W	900			



SUMO (CCT Selectable, Low Profile)

	4"	10W	40W	650		Finish <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Voltage
	7"	12W	60W	850			
	9"	18W	75W	1,100			
	12"	18W	75W	1,100			
	15"	24W	125W	1,850			
	19"	26W	150W	1,950			
	24"	30W	150W	2,250			
						Shape <input type="checkbox"/> <input type="checkbox"/>	Dimming
						CRI	Warranty
						Backup	



CURV (CCT Selectable, Decorative Flush Mount)

	11/12"	16W	75W	1,150		Finish <input type="checkbox"/> <input type="checkbox"/>	Voltage
	14"	20W	125W	1,400			
	18/19"	32W	150W	2,200			
						Shape <input type="checkbox"/> <input type="checkbox"/>	Dimming
						CRI	Warranty
						Backup	Sensor

SMP (CCT Selectable, Surface Mount Panel)


	1x1	20W	40W	1,700		Finish <input type="checkbox"/>	Voltage
	1x2	22W	45W	1,900			
	1x4	45W	90W	4,050			
	2x2	45W	90W	4,950			
	2x4	55W	110W	6,050			
						Shape <input type="checkbox"/> <input type="checkbox"/>	Dimming
						CRI	Warranty

SML (CCT Selectable, Surface Mount Linear)




	5.5" x 24"	25W	40W	1,800		Finish <input type="checkbox"/>	Voltage
	5.5" x 36"	35W	70W	2,600			
	5.5" x 48"	45W	90W	3,300			
						Shape <input type="checkbox"/> <input type="checkbox"/>	Dimming
						CRI	Warranty

CCT: 2700K 3000K 3500K 4000K 5000K Trim:  Baffle  Smooth  Shallow Baffle  Metal  Plastic High Output:

# RESIDENTIAL CANLESS DOWNLIGHTS

No Housing Required 

## WFR17 (Selectable CCT, Back-Lit Slim Panel)




	4"	9W	50W	600		Finish <input type="checkbox"/>	Voltage <input checked="" type="radio"/> 120V
	6"	13W	75W	900		Shape <input checked="" type="radio"/>	Dimming <input checked="" type="radio"/> TRIAC
						Trim Cone <input checked="" type="checkbox"/>	Warranty <input checked="" type="radio"/> Limited
						CRI 	


Mounting Plates:



DLPLATE/WFR3468/NB




## WFRL (Selectable CCT, Low Profile)

	3"	6W	40W	420		Finish <input type="checkbox"/>	Voltage <input checked="" type="radio"/> 120V <input checked="" type="radio"/> 120-277
	4"	9W	60W	650		Shape <input checked="" type="radio"/>	Dimming <input checked="" type="radio"/> TRIAC <input checked="" type="radio"/> 0-10
	5"	12W	85W	900		Trim Cone <input checked="" type="checkbox"/>	Warranty <input checked="" type="radio"/> No Compromise
	6"	13W	65W	1,050		CRI 	
	8"	23W	150W	1,800			



DLPLATE/WFR3456




## WFRLA (Selectable CCT, Adjustable Gimbal)

	4"	8W	60W	650		Finish <input type="checkbox"/>	Voltage <input checked="" type="radio"/> 120V
	6"	12W	75W	950		Trim Cone <input checked="" type="checkbox"/>	Dimming <input checked="" type="radio"/> TRIAC
						CRI 	Warranty <input checked="" type="radio"/> No Compromise



DLPLATE/WFR4/NB/CL




## FWAFER (Selectable CCT, Fire Rated)

	4"	11W	60W	700		Finish <input type="checkbox"/>	Dimming <input checked="" type="radio"/> TRIAC
	6"	15W	75W	1,000		Trim Cone <input checked="" type="checkbox"/>	Warranty <input checked="" type="radio"/> No Compromise
						CRI 	UL263 <input checked="" type="checkbox"/> Fire Resistant
						Voltage <input checked="" type="radio"/> 120V	






DLPLATE/WFR6/NB/CL




## WFD (Selectable CCT, Deep Regress)

	4"	13W	100W	1,200		Finish <input type="checkbox"/>	Dimming <input checked="" type="radio"/> TRIAC
	6"	15W	120W	1,500		Trim Cone <input checked="" type="checkbox"/>	Warranty <input checked="" type="radio"/> No Compromise
						CRI 	Regress <input checked="" type="checkbox"/> Deep Regress
						Voltage <input checked="" type="radio"/> 120V	




## R3 & R3S (Selectable CCT, Regressed)

	2"	9W	65W	650		Finish <input type="checkbox"/>	Voltage <input checked="" type="radio"/> 120V
		15W	125W	1,000		Trim Cone <input checked="" type="checkbox"/>	Dimming <input checked="" type="radio"/> TRIAC
						CRI 	Warranty <input checked="" type="radio"/> No Compromise




## G2,3,4 (Selectable CCT, Gimbal)

	2"	6W	50W	400		Finish <input type="checkbox"/>	Voltage <input checked="" type="radio"/> 120V
	3"	9W	65W	600		Trim Cone <input checked="" type="checkbox"/>	Dimming <input checked="" type="radio"/> TRIAC
	4"	15W	125W	1,050		CRI 	Warranty <input checked="" type="radio"/> No Compromise




## GR2,3,4 (Selectable CCT, Regressed Gimbal)






	2"	6W	50W	400		Finish <input type="checkbox"/>	Dimming <input checked="" type="radio"/> TRIAC
	3"	9W	65W	600		Trim Cone <input checked="" type="checkbox"/>	Warranty <input checked="" type="radio"/> No Compromise
	4"	15W	125W	1,050		CRI 	Regress <input checked="" type="checkbox"/> Deep Regress
						Voltage <input checked="" type="radio"/> 120V	

## RTL (Selectable CCT, Trimless & Trimless Gimbal)

	2"	6W	40W	450/600		Finish <input type="checkbox"/>	Voltage <input checked="" type="radio"/> 120V
	3"	9W	60W	750/1,250		Shape <input checked="" type="radio"/>	Dimming <input checked="" type="radio"/> TRIAC
	4"	15W	90W	1,200/1,850		Trim Cone <input checked="" type="checkbox"/>	Warranty <input checked="" type="radio"/> No Compromise
						CRI 	Regress <input checked="" type="checkbox"/> Deep Regress

## HALED (Selectable CCT, Modular)

	4"	12W	14W CFL	1,000		Finish <input type="checkbox"/>	Voltage <input checked="" type="radio"/> 120V <input checked="" type="radio"/> 120-277
	6"	18W	26W CFL	1,800		Shape <input checked="" type="radio"/>	Dimming <input checked="" type="radio"/> TRIAC <input checked="" type="radio"/> 0-10
						Trim Cone <input checked="" type="checkbox"/>	Warranty <input checked="" type="radio"/> No Compromise
						CRI 	







CCT:  2700K  3000K  3500K  4000K  5000K

Trim:  Baffle  Smooth  Shallow Baffle  Metal  Plastic








High Output:

## LIGHTCLOUD BLUE - SMART DOWNLIGHTS







### Retrofit Downlight (RGB + Tunable White)

	4"	7.5W	65W	700		Finish <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Warranty  No Compromise
	5/6"	8W 11W 14W	65W 75W 100W	725 900 1,200 		Trim Cone <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Dimming Wireless Dimming
						CRI  90	Control <a href="#">Lightcloud</a>
						Voltage  120V	







### Wafer Downlight (RGB + Tunable White)

	3"	6W	40W	420		Finish <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Voltage  120V
	4"	9W 10.5W	60W	650 800 		Shape <input checked="" type="checkbox"/>	Warranty  No Compromise
	5"	12W	85W	900		Trim Cone <input type="checkbox"/> <input checked="" type="checkbox"/>	Dimming Wireless Dimming
	6"	13W 14W	65W 75W	1,050 1,200 		CRI  90	Control <a href="#">Lightcloud</a>
	8"	23W	150W	1,800			








### Disk Light (Tunable White)

	4"	7W	60W	700		Finish <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Warranty  No Compromise
	5/6"	15W	75W	1,000		CRI  90	Dimming Wireless Dimming
						Voltage  120V	Control <a href="#">Lightcloud</a>
						Circadian  SmartShift	

### Surface Mount (Tunable White)

	24"	24W	120W	700		Finish <input type="checkbox"/>	Warranty  No Compromise
	29"	29W	150W	1,000		CRI  90	Dimming Wireless Dimming
						Voltage  120-277	Control <a href="#">Lightcloud</a>
						Circadian  SmartShift	

### Commercial Downlight (Tunable White)

	6"	23W	32W CFL	1,900		Finish <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Voltage  120-277
	8"	30W	2-42W CFL	2,600 		Shape <input checked="" type="checkbox"/>	Dimming Wireless Dimming
						Trim Cone <input type="checkbox"/>	Warranty  No Compromise
						CRI  95+	Controls <a href="#">Lightcloud</a>
						Circadian  SmartShift	

1. CCT Range 2700K - 6500K

# The best source for your lighting projects.



RAB offers an extensive line of indoor, outdoor, lamps and control solutions for your projects.



#### The assortment you want.

From spec-grade fixtures to budget-friendly economy lines, we've got it covered. And if we missed something, let us know—we have custom solutions, too.



#### The warranty you need.

Most RAB products are backed by our 5-Year, No-Compromise Warranty, which includes labor once reviewed and approved by RAB.



#### The durability you deserve.

Long-lasting finishes, stable light color temperatures, reliable drivers. It all makes for installation you can stand behind.



#### The brand you trust.

Reliable performance? Check. Unparalleled service? Done. No customer hassles, no callbacks—we're here to make you look good.

# RAB<sup>®</sup>

[rablighting.com](http://rablighting.com)

For the latest product literature, download the RAB Drive app.

Get the app



Follow us



RAB is continually improving our products. Specifications may change without notice. The designs of RAB fixtures are protected under U.S. and international intellectual property laws.



Indoor



Outdoor



Lamps



Controls



EV Chargers