Lightcloud Blue | Lamps

All Lightcloud Blue lamps will instantly connect to the system's app via Bluetooth® Mesh, getting you up and running in minutes.

works with | alexa

works with Google Home

Features

Tunable Color: Select from 16+million colors to customize your space to suit any mood.

Tunable White: Color temperature that is fully adjustable within the specified range

SmartShift®: Circadian lighting adjusts light levels and CCT to match the natural pattern of the sun

Natural Spectrum Technology: Emits less sleep-disturbing blue light, promoting healthier sleep. Also renders colors much more accurately so you can see them as they truly are.*

*On select models only

Natural Spectrum A19 and BR30

This energy-efficient replacement for halogen and incandescent reflector lamps is designed with durable plastic to reduce breakage and a frosted lens for smooth, diffuse light. It is rated for use in closed and open fixtures, in dry or damp locations, and carries RAB's 3-year, no-compromise warranty.

LCBA19-10-E26-9TW-SS-NS

Replaces: 60W Incandescent

Wattage: 10W

Voltage: 120V

Base: E26 Edison

CCT: 2700 - 6500K

Dimming: Down to 5%

CRI: 95+

Lifespan: 25,000 Hours

LCBBR30-10-E26-9TW-SS-NS

Replaces: 65W Halogen

Wattage: 10W

Voltage: 120V

Base: E26 Edison

CCT: 2700 - 6500K

Dimming: Down to 5 %

CRI: 95+

Lifespan: 25,000 Hours

RGBW A19, BR30 and PAR38

With over 16 million colors to choose from, these lamps are ready to set your lighting to suit any mood. Create various Scenes or Schedules to fit your everyday needs.

LCBA19-9-E26-9RGB-SS

Replaces: 60W Incandescent

Wattage: 8W

Voltage: 120V

Base: E26 Edison

CCT: 2200 - 6500K and 16+ million colors

Dimming: Down to 5%

CRI: 90+

Lifespan: 25,000 Hours

LCBBR30-7-E26-9RGB-SS

Replaces: 65W Incandescent

Wattage: 7W

Voltage: 120V

Base: E26 Edison

CCT: 2200 - 6500K and 16+ million colors

Dimming: Down to 5%

CRI: 90+

Lifespan: 25,000 Hours

PAR38/RGB

Replaces: 100W Halogen

Wattage: 14W

Voltage: 120V

Base: E26 Edison

CCT: 2200 - 6500K and 16+ million colors

Dimming: Down to 5%

CRI: 90+

Lifespan: 50,000 Hours

Decorative Filament

Filament-style LED lamps offer a unique traditional appearance for decorative and mood-sensitive needs. Models are available in A19, ST19, G25 and B11 shapes for the most-often-used applications. They are rated for use in closed and open fixtures, in dry, damp, or wet locations, and carry RAB's 3-year, no-compromise warranty.

LCBA19-6-E26-9TW-F-C-SS

Replaces: 60W Incandescent	**Dimming:** Down to 5%
Wattage: 6W	**CRI:** 90+
Voltage: 120V	**Lifespan:** 15,000 Hours
Base: E26 Edison	
CCT: 2200 - 4500K	

LCBST19-6-E26-9TW-F-C-SS

Replaces: 60W Incandescent	**Dimming:** Down to 5%
Wattage: 6W	**CRI:** 90+
Voltage: 120V	**Lifespan:** 15,000 Hours
Base: E26 Edison	
CCT: 2200 - 4500K	

LCBB11-5-E26-9TW-F-C-SS

Replaces: 60W Incandescent	**Dimming:** Down to 5%
Wattage: 5W	**CRI:** 90+
Voltage: 120V	**Lifespan:** 15,000 Hours
Base: E26 Edison	
CCT: 2200 - 4500K	

LCBG25-6-E26-9TW-F-C-SS

|	
Replaces: 60W Incandescent	**Dimming:** Down to 5%
Wattage: 6W	**CRI:** 90+
Voltage: 120V	**Lifespan:** 15,000 Hours
Base: E26 Edison	
CCT: 2200 - 4500K	

T8 Linear Tubes

These popular 4 ft linear tubes are a direct replacement for fluorescent lamps and are available in both Type A (Ballast Compatible) and Type B (Ballast Bypass) with an optional microwave occupancy sensor that is seamlessly integrated into the base. Both models have full wireless control for on/off, dimming and color temperature.

LCBT8-14-48P-8TW-DIR-SS

Type: Ballast Compatible (A)	**Voltage:** Ballast Dependent
Replaces: 25/28/32W Fluorescent	**Base:** G13
Wattage: 14W	**Dimming:** Down to 5%
CRI: >80	**Lifespan:** 50,000 Hours
CCT: 2700 - 6500K	

LLCBT8-17-48P-8TW-SD-BYP*

Type: Ballast Bypass (B) Single- or Double-Ended	**Voltage:** 120-277V
Replaces: 32W Fluorescent	**Base:** G13
Wattage: 18W	**Dimming:** Down to 5%
CRI: >80	**Lifespan:** 50,000 Hours
CCT: 2700 - 6500K	

Available with microwave sensor (T8-17-48P-8TW-SD-BYP/LCBS/MVS)

PLC Compact

Replace 26W CFLs effortlessly with our PLC lamp. Enjoy wireless control via Lightcloud Blue and simple plug-and-play installation with magnetic CFL ballasts or direct line voltage—no external driver needed. Tunable white (2700–6500K) lets you create the perfect lighting for any environment, all with smooth transitions.

PLC-9-O-HYB/LCB

Type: Hybrid A+B	**Base:** G24d
Replaces: 26W CFL	**Dimming:** Down to 5%
Wattage: 9.5W	**Lifespan:** 50,000 Hours
CRI: >80	
CCT: 2700-6500K	
Voltage: 120-277V	

HID Replacements

These energy-efficient replacements for HID lamps let you customize both wattage and color temperature* using the Lightcloud Blue mobile app. An integrated sensor port supports Lightcloud Blue controllers and occupancy/daylight sensors (sold separately). Easily configure and control your lights with the mobile app.

SENSOR PORT

Compatible with various smart sensors.

Learn more here.

HID-54S-EX39-8TW-BYP/LCBR

Replaces:	150/175/200W MH
Wattage:	35/45/54W
Voltage:	120-277V
Base:	EX39 Mogul
CCT:	3000/4000/5000K**
Dimming:	Down to 5%
Lifespan:	50,000 Hours

HID-115S-V-EX39-8TW-BYP/LCBR

Replaces:	200/250/400W MH
Wattage:	60/80/115W
Voltage:	120-277V
Base:	EX39 Mogul
CCT:	3000/4000/5000K**
Dimming:	Down to 5%
Lifespan:	50,000 Hours

HID-65-V-E26-850-BYP-GL/LCBR

Replaces:	200W MH
Wattage:	65W
Voltage:	120-277V
Base:	E26 Edison
CCT:	5000K
Dimming:	Down to 5%
Lifespan:	25,000 Hours

*Does not apply to Garage Lighter.   **Tunable white from 3000 to 5000K only when used with a Lightcloud Blue 5-pin, plug-in Controller.*

Lightcloud Blue Accessories

Expand your system with **Switches**, **Remotes**, **Dimmers**, **Sensors**, **Controllers**, and **Emergency** accessories.

Learn more about Lightcloud Blue Accessories

DIMMERS

WIRELESS REMOTE

WIRELESS SENSOR

NANO

RAB®