



Soft, even light with adjustable color temperature and output.

Under cabinet lighting that maximizes flexibility.


**RAB**<sup>®</sup>

# KNOOK® LED Undercabinet

- Field-adjustable light output & color temperature
- Designed to provide soft, uniform lighting on work surfaces
- Simple to connect multiple fixtures
- Occupancy sensor accessory controls on/off, and includes a switch to manually turn off fixtures
- TRIAC and ELV dimming down to 5%\*



RAB's warranty is subject to all terms and conditions found at [rablighting.com/warranty](http://rablighting.com/warranty)



Available in four lengths: 8", 16", 24" or 32", and in brown or white.



KNOOK provides clean, uniform illumination across the length of the fixture, on walls and over countertops.



Each KNOOK fixture can be daisy chained with optional accessory jumper cables.



KNOOK leads in energy efficiency, beating out the competition with higher lumens per foot.


\*List of compatible dimmers provided in the instructions.

## Accessories

### Occupancy Sensor

(8 1/8" x 3 3/4")


OCSKNOOKFA - Brown OCSKNOOKFAW - White



### Junction Box

(6 5/16" x 3 3/4")

JBKNOOKFA - Brown JBKNOOKFAW - White



### Fixture-to-Fixture Jumper Cable

KJC6B - 6" Black      KJC24B - 24" Black  
 KJC6W - 6" White      KJC24W - 24" White  
 KJC12B - 12" Black      KJC72B - 72" Black  
 KJC12W - 12" White      KJC72W - 72" White




### Fixture-to-Junction Box Cable

KPCJB - 72" Black      KPCJW - 72" White



### Fixture-to-Outlet Cord and Plug

KCPB - 72" Black      KCPW - 72" White



## Dimmer Compatibility

### LUTRON

Diva DV-603P      DVELV-300PH-WH  
 RRD-8ANS-WH      SPSELV-400M  
 RRD-6NA-WH      TGCL-153P  
 RRD-6D-WH      LECL-153P  
 P&S D703P      SCL-153P  
 Skylark CTCL-153P      S-600  
 Skylark S-600P      MAELV-600-WH  
 Skylark SELV-300P      PD-6WCL-WH

### LEVITON

Decora IPL06-10Z  
 Decora 6631-P  
 Decora 6674-P  
 35A00-1  
 6627-L  
 6674-L

### COOPER

TAL06P-C1  
 DAL06P-C1  
 SAL06P-W  
 AAL06-C1

## Ordering information

Product Family

Size

Color Temperature

Finish

Voltage

KNOOKFA

8  
16  
24  
32

8" (4W/2W)  
16" (9W/5W)  
24" (13W/7W)  
32" (16W/8W)

Blank 2700K/3000K/3500K/4000K/5000K Selectable

Blank  
W

Brown  
White

Blank

120V