

# 90CRI Dimmable T20 A-Lamps



6W / 9W A19  
E26 Base

15W / 17W A21  
E26 Base

6W A19  
GU24 Base



90CRI Dimmable, A-Line Bulbs  
40W -100W Title 20 Compliant

PROJECT: \_\_\_\_\_

DATE: \_\_\_\_\_


TYPE: \_\_\_\_\_

PREPARED BY: \_\_\_\_\_



### KEY FEATURES

- Produces rich and vibrant colors >90CRI
- **Energy-efficient** replacement for **incandescent and halogen lamps**
- Constructed from **durable plastic** which lowers risk of breakage
- Rated for use in **enclosed and open fixtures** in **dry or damp** locations
- **Frosted lens** produces smooth, diffuse light
- **Longer lifespan** compared to legacy equivalents minimizes replacement and maintenance costs
- **ENERGY STAR® Compliant, Title 20 Compliant**
- **Dimmable** down to 10% with most common dimmer types (Check compatibility list)



### PERFORMANCE

Catalog Number	Equivalency	Input Wattage	Lumens	Base Type	Efficacy lm/W	Color Temperature	CRI	L70 Lifespan	T20 Compliant	Energy Star ID
A19-6-E26-927-DIM	40W Incandescent	6W	450	E26	75	2700K	90	25,000	✓	2330066
A19-6-E26-930-DIM		6W	450		75	3000K	90	25,000	✓	2330065
A19-6-E26-950-DIM		6W	450		75	5000K	90	25,000	✓	2330064
A19-9-E26-927-DIM	60W Incandescent	9W	800		75	2700K	90	25,000	✓	2330069
A19-9-E26-930-DIM		9W	800		84	3000K	90	25,000	✓	2330070
A19-9-E26-940-DIM		9W	800		84	4000K	90	25,000	✓	2330071
A19-9-E26-950-DIM		9W	800	84	5000K	90	25,000	✓	2330072	
*New A19-9-GU24-927-DIM		9W	820	GU24	84	2700K	90	15,000	✓	2366070
*New A19-9-GU24-930-DIM		9W	840		91	3000K	90	15,000	✓	2366071
*New A19-9-GU24-940-DIM	9W	860	93		4000K	90	15,000	✓	2366072	
A21-15-E26-930-DIM	75W Incandescent	15W	1100	E26	96	3000K	90	25,000	✓	2330074
A21-15-E26-950-DIM		15W	1100		73.33	5000K	90	25,000	✓	2330073
A21-17-E26-927-DIM	100W Incandescent	17W	1600		73.33	2700K	90	25,000	✓	2330078
A21-17-E26-930-DIM		17W	1600		94.11	3000K	90	25,000	✓	2330075
A21-17-E26-940-DIM		17W	1600		94.11	4000K	90	25,000	✓	2330076
A21-17-E26-950-DIM		17W	1600		94.11	5000K	90	25,000	✓	2330077

## TECHNICAL SPECIFICATIONS

### CONSTRUCTION

<b>Product Type</b> A-Line	<b>Lens Finish</b> Frosted
<b>Bulb Shape</b> A19 - 5W, 9W A21 - 15W, 17W	<b>Base Type</b> E26   GU24
<b>Enclosure Material</b> Plastic	<b>Beam Angle</b> 230°
<b>Enclosure Finish</b> White	

### COMPLIANCE

#### Safety Listing

UL Listed, UL Recognized (Base type: GU24)

#### ENERGY STAR® Compliant

Yes

#### Title 20 Compliant

Yes, Title 20, Tier 2

#### Environment/Fixture Rating

Damp / Enclosed

#### FCC

Complies with Part 15 of the FCC Rules.

#### RoHS

Mercury and UV free. RoHS-compliant components.

#### Lawful for sale in California

Yes

#### Title 20 Compliant

Yes, Title 20 Tier 2

### ELECTRICAL

#### Power Factor

>0.9

#### Input Voltage

120V

#### Operating Frequency

60Hz

#### Operating Temperature

-20°C ~ 45°C

#### Note

All values are typical (tolerance +/- 10%)

### OTHER

#### Warranty


RAB warrants that our LED products will be free from defects in materials and workmanship for a period of four (4) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish.

RAB's warranty is subject to all terms and conditions found at [rablighting.com/warranty](http://rablighting.com/warranty).

## DIMENSIONS


#### A19-E26 6W

Weight: 0.13 lb




#### A19-E26 9W

Weight: 0.15 lb




#### A21-E26 15W | 17W

Weight: 0.31 lb



#### A19-GU24 9W

Weight: 0.12 lb



# 90CRI Dimmable T20 A-Lamps



## ORDERING INFO

Catalog Number	Model Number (DLC/Energy Star)	UPC	Case Pack
A19-6-E26-927-DIM	A19-6-E26-927-DIM	01981374815	12
A19-6-E26-930-DIM	A19-6-E26-930-DIM	019813748030	12
A19-6-E26-950-DIM	A19-6-E26-950-DIM	019813748047	12
A19-9-E26-927-DIM	A19-9-E26-927-DIM	019813748054	12
A19-9-E26-930-DIM	A19-9-E26-930-DIM	019813748061	12
A19-9-E26-940-DIM	A19-9-E26-940-DIM	019813748078	12
A19-9-E26-950-DIM	A19-9-E26-950-DIM	019813748085	12
A19-9-GU24-927-DIM	A10059(A19-9-GU24-927-DIM)	192552000116	12
A19-9-GU24-930-DIM	A10060(A19-9-GU24-930-DIM)	192552000123	12
A19-9-GU24-940-DIM	A10061(A19-9-GU24-940-DIM)	192552000130	12
A21-15-E26-930-DIM	A21-15-E26-930-DIM	019813748092	12
A21-15-E26-950-DIM	A21-15-E26-950-DIM	019813748108	12
A21-17-E26-927-DIM	A21-17-E26-927-DIM	019813748115	12
A21-17-E26-930-DIM	A21-17-E26-930-DIM	019813748122	12
A21-17-E26-940-DIM	A21-17-E26-940-DIM	019813748139	12
A21-17-E26-950-DIM	A21-17-E26-950-DIM	019813748146	12

## ORDERING MATRIX

Family	Wattage	Base Type	CRI/Color Temp	Dimming
A19	-	-	-	<b>DIM</b>
	6 6W / 40W EQ 9 9W / 60W EQ	E26 E26 Base GU24* GU24 Base <i>* Only for 9W</i>	927 90 CRI, 2700K 930 90 CRI, 3000K 940* 80 CRI, 4000K 950 80 CRI, 5000K <i>* Only for 9W</i>	DIM Dimmable

Family	Wattage	Base Type	CRI/Color Temp	Dimming
A21	-	<b>E26</b>	-	<b>DIM</b>
	15 15W / 75W EQ 17 17W / 100W EQ	E26 E26 Base	927* 90 CRI, 2700K 930 90 CRI, 3000K 940* 80 CRI, 4000K 950 80 CRI, 5000K <i>* Only for 17W</i>	DIM Dimmable